

L Number	Hits	Search Text	DB	Time stamp
37	337	usb with (expander\$1 or expansion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43
38	19	37.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43
39	14	37.ab. and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
40	1	0010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:49
41	0	00010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:50
42	2	20020010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
43	0	20020010821.URPN.	USPAT	2003/10/22 07:50
44	40	(usb with (expander\$1 or expansion)) with (cabl\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
45	32	((usb with (expander\$1 or expansion)) with (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
-	23	usb with split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 08:49
-	14	(usb with split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43

-	495	usb with (extend\$5 or extension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:11
-	101	(usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:11
-	73	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	3	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (split or retry\$3 or retri\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:19
-	3	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (split or retry\$3 or retri\$1 or re adj try\$3 or re adj trie\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:32
-	70	usb\$1 same split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:32
-	53	(usb\$1 same split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	39	((usb\$1 same split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) not (usb with split)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:40
-	64	usb with (response\$1 or reply or replies) with request\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:41
-	45	(usb with (response\$1 or reply or replies) with request\$1) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:53
-	171	usb same (read or write) same (response\$1 or reply or replies or complet\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:53

-	124	(usb sam (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:54
-	67	((usb same (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	56	((usb same (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and 710.clas.) not ((usb with (response\$1 or reply or replies) with request\$1) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:08
-	31147	(response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:09
-	4746	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrieve\$1 or re adj trie\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	17	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrieve\$1 or re adj trie\$1)) same usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	155	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrieve\$1 or re adj trie\$1)) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	12	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrieve\$1 or re adj trie\$1)) same usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	45477	(post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	47	((post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) same usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15

-	39	(((post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) same usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	4	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (usb adj "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:17
-	1	(((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (usb adj "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	306	remote\$2 with usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	175	(remote\$2 with usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	91	(remote\$2 with usb) same (cabl\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	52	((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	46	(((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) not (((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	6	(((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and "2.0"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:17

L Number	Hits	Search Text	DB	Time stamp
37	337	usb with (expander\$1 or expansion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43
38	19	37.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43
39	14	37.ab. and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
40	1	0010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:49
41	0	00010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:50
42	2	20020010821.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
43	0	20020010821.URPN.	USPAT	2003/10/22 07:50
44	40	(usb with (expander\$1 or expansion)) with (cabl\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:52
45	32	((usb with (expander\$1 or expansion)) with (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:25
46	239	start adj2 split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:25
47	368	complete adj2 split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:25

48	5	(start adj2 split) same (complete adj2 split)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:25
-	23	usb with split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 08:49
-	14	(usb with split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:43
-	495	usb with (extend\$5 or extension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:11
-	101	(usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:11
-	73	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	3	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (split or retry\$3 or retri\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:19
-	3	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (split or retry\$3 or retri\$1 or re adj try\$3 or re adj trie\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:32
-	70	usb\$1 same split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:32
-	53	(usb\$1 same split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	39	((usb\$1 same split) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) not (usb with split)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:40

-	64	usb with (response\$1 or reply or replies) with request\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:41
-	45	(usb with (response\$1 or reply or replies) with request\$1) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:53
-	171	usb same (read or write) same (response\$1 or reply or replies or complet\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:53
-	124	(usb same (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:54
-	67	((usb same (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	56	((usb same (read or write) same (response\$1 or reply or replies or complet\$5)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and 710.clas.) not ((usb with (response\$1 or reply or replies) with request\$1) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:08
-	31147	(response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queu\$5 or enqueue\$5 or fifo\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:09
-	4746	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queu\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrie\$1 or re adj trie\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	17	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queu\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrie\$1 or re adj trie\$1)) same usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10
-	155	((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or queu\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrie\$1 or re adj trie\$1)) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:10

-	12	(((((response\$1 or replies or reply or return\$3) near6 (buffer\$3 or qu u\$5 or enqueue\$5 or fifo\$1)) with (request\$3 or rerequest\$3 or re adj request\$3 or retry\$3 or re adj try\$3 or retrie\$1 or re adj trie\$1)) same usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	45477	(post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	47	((post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) same usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	39	((post\$3 or delay\$3 or complet\$5) near6 (buffer\$3 or queue\$5 or enqueue\$5 or fifo\$1)) same usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:15
-	4	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (usb adj "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:17
-	1	((usb with (extend\$5 or extension\$1)) with (link\$3 or cabl\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and (usb adj "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	306	remote\$2 with usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:37
-	175	(remote\$2 with usb) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	91	(remote\$2 with usb) same (cabl\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	52	((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38

-	46	(((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) not (((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:38
-	6	(((remote\$2 with usb) same (cabl\$3 or link\$3)) and (@ad<20010330 or @rlad<20010330 or @prad<20010330 or @pd<20010330 or @pt1d<20010330)) and "2.0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 07:17